Form –IV Annual Report

SI.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr.S.GURU SHANKAR
	(ii) Name of HCF or CBMWTF	:	MEENAKSHI MISSION HOSPITAL AND RESEARCH CENTRE
	(iii) Address for Correspondence	:	Lake Area, Melur Road , Madurai - 625107
	(i) Address of Facility		
	(ii) Tel. No. Fax. No.	:	0452 - 2543000, 2586353
	(V) E-mail ID	:	info@mmhrc.in
	(i) URL of Website (ii) GPS coordinates of HCF of	:	www.mmhrc.in
	CBMWTF		
	(iii) Ownership of HCF of CBMWTF		Private
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No :- 22BAZ44013796 Valid up to : - 31.03.2024
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31.03.2024
2.	Type of Health Care Facility	:	N (B 200
	(i) Bedded Hospital	:	No. of Beds:- 800 - Nil -
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		- IVII -
	(iii) License number and its date of expiry.	:	MADUALL20190003037 - 07/11/24
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	RE SUSTAINABILITY HEALTHCARE SOLUTION LTD
	(ii) No. of beds covered by CBMWTF	:	800
	(iii) Installed treatment and disposal capacity of CBMWTF	:	NIL Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	345 Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on	:	Yellow category : 4675 Kg
	monthly average basis)		Red Category : 5058 Kg
	,		White : 500 Kg
			Blue Category : 721 Kg General Solid waste : Nil
5.	Details of the Storage , treatment, trans	nortation	l
J.	(i) Details of the on-site storage		Size : 10' X 30' (3M x 9 M)
	facility		Capacity: 2400 Sft
			Provision of on-site storage : Nil
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity
	(ii) Dieposai i asimuss	•	Equipment of Kg/day treated or
			Units disposed In Kg per annum
			Incinerators Plasma Paralysis
			Autoclaves> 2 200 35500 Microwave Hydroclave
			Shredder Needle tip cutter or
			destroyer Sharps
			encapsulation or concrete pit
			Deep Burial pits: Chemical
			disinfection: Any other treatment
			equipment:
	(iii) Quantity of recyclable wastes sold	:	Red Category (like plastic, glass etc.)
	to authorized recyclers after treatment in kg per annum.		-Nil-
	l		

	(iv) No of vehicles used for collection	:	2 Numbers
	and transportation of biomedical		
	waste.		
	(v) Details of incineration ash and		Quantity Generated Where disposal
	ETP sludge generated and		Incineration -Nil-
	disposal during the treatment of		Ash -Nil-
	wastes in Kg per annum)		ETP Sludge- Used for Garden Purpose only
	(vi) Name of the Common Bio-	:	RE SUSTAINABILITY HEALTHCARE
	Medical Waste Treatment		TE OOOTAINABIEITT HEAETHOAILE
			SOLUTION LTD
	Facility Operator through which		
	wastes are disposed of		
	(vii) List of member HCF not handed	:	-NIL-
	over bio-medical waste.		
6.	Do you have bio-medical waste	:	Yes, Safety & Risk Management Committee
	management committee? If yes,		
	attach minutes of the meetings held		
	during the reporting period.		
7.	Detail trainings conducted on BMW		4 No's (Every Three Months Once)
<u> </u>	· ·		, ,
	(i) Number of training conducted		7
	on BMW Management.		
	(ii) Number of personnel trained		1500
	(iii) Number of personnel trained at		200/Der Veer)
	(iii) Number of personnel trained at		800(Per Year)
	the time of induction		
	(iv) Number of personnel not		-Nil-
	undergone any training so far.		
	(v) Whether standard manual for		Yes
	training is available?		
	(vi) Any other information)		-Nil-
8.	Details of the accident occurred		
Ο.			
	during the year		N.C.
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
			N.C.
	(iii) Remedial Action taken (Please		Nil
	attach details if any)		NIII
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air		Nil
.	Pollution from the incinerator?. How		• • •
	many times in last year could not met		
	the standards?		
	Details of Continuous online emission		Nil
			INII
40	monitoring systems installed		N.C.
10.	Liquid waste generated and treatment		Nil
	methods in place. How many times		
	you have not met the standards in a		
	year.		
11.	It the disinfection method or		Nil
	sterilization meeting the log4		
	standards? How many times you have		
	not met the standards in a year?		
12.	Any other relevant information		(Air Pollution Control Device attached with the
	,		,
			incinerator.) -Nil-

Certified that the above report is for the period from <u>January 2022</u> to <u>December 2022</u>



Date: 01.04.2023 Place: Madurai



Name and Signature of the Head of the Institution

MEENAKSHI MISSION HOSPITAL& RESEARCH CENTRE

LAKE AREA, MELUR ROAD

MADURAI-625 107